

KYOSUKE TSUDA

BIBLIOGRAPHY

1. STUDIES ON MATRINE AND RELATED LUPIN ALKALOIDS

1. XIV. Mitteilung über die Konstitution des Matrins. (Zinkstaubdestillation des β -Matrinidins). H. Kondo und K. Tsuda, J. Pharm. Soc. Japan, 1931, 51, 70 (German); Ibid., 1931, 51, 533 (Japanese).
2. Über die Natronkalk-Destillationsprodukte des Kaliummatrinates. (XV. Mitteil. über die Konstitution des Matrins). H. Kondo, E. Ochiai, K. Tsuda, und S. Yoshida, Chem. Ber., 1935, 68, 570; J. Pharm. Soc. Japan, 1935, 55, 483 (Japanese).
3. Über die Dehydrierung des Matrins. (XVI. Mitteil. über die Konstitution des Matrins). H. Kondo und K. Tsuda, Chem. Ber., 1935, 68, 644; J. Pharm. Soc. Japan, 1935, 55, 497 (Japanese).
4. Über die Konstitution des Matrins. (XVII. Mitteil.) H. Kondo, E. Ochiai, und K. Tsuda, Chem. Ber., 1935, 68, 1899; J. Pharm. Soc. Japan, 1935, 55, 1252 (Japanese).
5. Über die Konstitution des Matrins. (XVIII. Mitteil.) K. Tsuda, Chem. Ber., 1936, 69, 429; J. Pharm. Soc. Japan, 1936, 56, 16.
6. Über die Konstitution des Matrins. (XIX. Mitteil.) K. Tsuda und K. Murakami, J. Pharm. Soc. Japan, 1937, 57, 68 (German); Ibid., 1937, 57, 307 (Japanese).
7. Synthesis of Lupin Alkaloids. I. Synthesis of a New Isomer of Sparteine. K. Tsuda and Y. Sato, Pharm. Bull., 1954, 2, 190.
8. Über die Konstitution des Matrins. XXVI. Beiträge zur Konstitution des Dehydro- α -matrinidins. S. Okuda, Pharm. Bull., 1956, 4, 257.
9. The Total Synthesis of Nordehydro- α -matrinidine (4,5,6,8,9,10-Hexahydropyrido-[3,4,5-i,j] quinolizine). (Comm.). K. Tsuda, S. Okuda, S. Saeki, S. Imura, Y. Sato, and H. Mishima, J. Org. Chem., 1956, 21, 598.
10. Reaction between Acrolein and Ethyl β -Aminocrotonate. K. Tsuda, Y. Sato, N. Ikekawa, and H. Mishima, J. Org. Chem., 1956, 21, 800.
11. Studies on the Synthesis of Matrine. I. The Total Synthesis of Nordehydro- α -

- matrinidine and Dehydro- α -matrinidine. K. Tsuda, S. Saeki, S. Imura, S. Okada, Y. Sato, and H. Mishima, J. Org. Chem., 1956, 21, 1481.
12. Synthesis of Octadehydromatrine and Allomatridine. (Comm.). K. Tsuda and H. Mishima, Pharm. Bull., 1957, 5, 285.
 13. The Synthesis of Lupin Alkaloids. II. The Synthesis of 1-(α -piperidyl) quinolizidine. Y. Sato, Pharm. Bull., 1957, 5, 412.
 14. Über die Konstitution des Matrins. XXVII. Totalsynthese des Allomatridins. (1). S. Okuda, Pharm. Bull., 1957, 5, 462.
 15. Über die Konstitution des Matrins. XXVIII. Totalsynthese des Allomatridins. (2). S. Okuda, Pharm. Bull., 1957, 5, 468.
 16. Dipole Moments of Matridine and Allomatridine. (Comm.). K. Tsuda, B. Eda, and M. Kubo, Pharm. Bull., 1957, 5, 624.
 17. Syntheses of Pyrrolizidine, Indolizidine, and Related Compounds. K. Tsuda and S. Saeki, J. Org. Chem., 1958, 23, 91.
 18. Die Quaternisierungsreaktion am Ringstickstoff von Stereoisomeren Hexahydrojulolidine. K. Tsuda und S. Saeki, Chem. Pharm. Bull., 1958, 6, 391.
 19. Synthesis of 3-Oxo-10a,1-dihydropyrano[3,4,5-i,j]-6-oxoquinolizine. Y. Sato, Chem. Pharm. Bull., 1958, 6, 222.
 20. Syntheses of Lupin Alkaloids. III. Synthesis of 3,6-Dioxo-1H,3H,6H-pyrano[3,4,5-i,j]-quinolizine. Y. Sato, Chem. Pharm. Bull., 1958, 7, 241.
 21. Syntheses of Lupin Alkaloids. IV. Synthesis and Hydrogenation of 4-Oxo-4H-quinolizine derivatives. Y. Sato, Chem. Pharm. Bull., 1958, 7, 247.
 22. The Dipole Moments and the Conformations of Matridine and Related Compounds. B. Eda, K. Tsuda, and M. Kubo, J. Am. Chem. Soc., 1958, 80, 2426.
 23. Synthesis of 5-Hydroxymethylquinoline-4-carboxylic Acid Lactone. Y. Sato and T. Nishimura, Chem. Pharm. Bull., 1959, 7, 329.
 24. Syntheses of Allied Compounds of Lupin Alkaloids. V. Synthesis of 9-Azahexahydrojulolidine. Y. Sato, Chem. Pharm. Bull., 1959, 7, 801.
 25. Quaternization of the Ring Nitrogen of Hexahydrojulolidine and its Related Compounds. II. Quaternization of the Ring Nitrogen of Stereoisomers of Perhydro-1H,5H-naphtho[1,2,3-i,j]quinolizine. S. Saeki, Chem. Pharm. Bull., 1961, 9, 226.
 26. Absolute Configurations of (-)-Anagyrine and of the Related C(15) Lupin Alkaloids. (Comm.) S. Okuda, K. Tsuda, and H. Kataoka, Chem. & Ind., 1961, 1115.

27. Absolute Configurations of (-)-Cytisine and of Related Alkaloids. (Comm.).
S. Okuda, K. Tsuda, and H. Kataoka, Chem. & Ind., 1961, 1751.
28. Synthetic Proof of the Structures of Sophocarpine and Sophoramine. (Comm.).
S. Okuda, H. Kamata, K. Tsuda, and Murakoshi, Chem & Ind., 1962, 1326.
29. Syntheses of (+)-Isosophoramine and (-)-13-Alkylsubstituted Sophoramine from
(+)-Matrine. (Comm.). S. Okuda, H. Kamata, and K. Tsuda, Chem. Pharm. Bull.,
1963, 11, 1349.
30. Studies on Lupin Alkaloids. I. The Minor Alkaloids of Japanese Sophora
flavescens. S. Okuda, I. Murakoshi, H. Kamata, Y. Kashida, J. Haginiwa, and
K. Tsuda, Chem. Pharm. Bull., 1965, 13, 482.
31. Studies on Lupin Alkaloids. II. Absolute Configuration of Lupin Alkaloid. I.
S. Okuda, H. Kataoka, and K. Tsuda, Chem. Pharm. Bull., 1965, 13, 487.
32. Studies on Lupin Alkaloids. III. Absolute Configurations of Lupin Alkaloids.
II. S. Okuda, H. Kataoka, and K. Tsuda, Chem. Pharm. Bull., 1965, 13, 491.
33. Studies on Lupin Alkaloids. IV. Total Syntheses of Optically Active Matrine
and Allomatrine. S. Okuda, M. Yoshimoto, and K. Tsuda, Chem. Pharm. Bull.,
1966, 14, 275.
34. Über die absolute Konfiguration des Matrins. (Comm.). S. Okuda, M. Yoshimoto,
K. Tsuda, und M. Utsugi, Chem. Pharm. Bull., 1966, 14, 314.

2. STUDIES ON THE TOXIN OF GLOBEFISH (TETRODOTOXIN)

1. The Constituents of the Ovaries of Globefish. I. The Isolation of meso-
Inositol and Scillitol from the Ovaries. K. Tsuda and M. Kawamura, J. Pharm.
Soc. Japan, 1950, 70, 432 (English).
2. The Constituents of the Ovaries of Globefish. II. Steroids that Constitute
the Fatty Oil. (1). K. Tsuda and B. Umezawa, J. Pharm. Soc. Japan, 1951, 71,
273 (English).
3. The Constituents of the Ovaries of Globefish. III. Fatty Acids that Compose
the Fatty Oil. (1). K. Tsuda and H. Shai-Hai, J. Pharm. Soc. Japan, 1951, 71,
279 (English).
4. The Constituents of the Ovaries of Globefish. IV. Reducing Sugar isolated
during Purification of the Poisonous Component. K. Tsuda and M. Kawamura,
J. Pharm. Soc. Japan, 1951, 71, 282 (English).
5. The Constituents of the Ovaries of Globefish. V. Preparation of a Hydrocarbon,

- $C_{54}H_{82}$, from Cholesteryl Tosylate, and the Identification of the Hydrocarbon, $C_{54}H_{82}$ obtained from various Sources. K. Tsuda, R. Hayatsu, B. Umezawa, and T. Nakamura, J. Pharm. Soc. Japan, 1952, 72, 182 (English).
6. The Constituents of the Ovaries of Globefish. VI. Purification of Globefish Poison by Chromatography. K. Tsuda and M. Kawamura, J. Pharm. Soc. Japan, 1952, 72, 187 (English).
 7. The Constituents of the Ovaries of Globefish. VII. Purification of Tetrodotoxin by Chromatography. (2). K. Tsuda and M. Kawamura, J. Pharm. Soc. Japan, 1952, 72, 771 (English).
 8. The Constituents of the Ovaries of Globefish. VIII. Studies of Tetrodotoxin (1). K. Tsuda and M. Kawamura, Pharm. Bull., 1953, 1, 112.
 9. On the Constitution of Tetrodotoxin. (Comm.). K. Tsuda, M. Kawamura, and R. Hayatsu, Chem. Pharm. Bull., 1958, 6, 225.
 10. Untersuchungen der Eierstockextrakte von Kugelfischen. XI. Über Tetrodotoxin. (2). K. Tsuda, M. Kawamura, and R. Hayatsu, Chem. Pharm. Bull., 1960, 8, 257.
 11. Untersuchungen der Eierstockextrakte von Kugelfischen. XII. Über Tetrodotoxin. (3). M. Kawamura, Chem. Pharm. Bull., 1960, 8, 262.
 12. Über die Struktur der C_9 -Base, die sich durch Behandlung mit Alkalilauge aus Tetrodotoxin gewinnen läßt. (Comm.). K. Tsuda, S. Ikuma, M. Kawamura, R. Tachikawa, Y. Baba, und T. Miyadera, Chem. Pharm. Bull., 1962, 10, 247.
 13. Über Tetrodotoxin. IV. Mitteilung. Die Struktur der C_9 -Base die sich durch Einwirkung der Alkalilauge auf Tetrodotoxin gewinnen läßt. K. Tsuda, S. Ikuma, M. Kawamura, R. Tachikawa, und T. Miyadera, Chem. Pharm. Bull., 1962, 10, 856.
 14. Über Tetrodotoxin. V. Mitteilung. Synthese des C_9 -Base-methyläthers. K. Tsuda, S. Ikuma, M. Kawamura, R. Tachikawa, Y. Baba, und T. Miyadera, Chem. Pharm. Bull., 1962, 10, 865.
 15. Über Tetrodotoxin. VI. Mitteilung. 2-Amino-6-methylchinazolin als Abbauprodukt von Tetrodotoxin. K. Tsuda, S. Ikuma, M. Kawamura, R. Tachikawa, und T. Miyadera, Chem. Pharm. Bull., 1962, 10, 868.
 16. Die Konstitution und Konfiguration der Tetrodonsäure. (Comm.). K. Tsuda, C. Tamura, R. Tachikawa, K. Sakai, O. Amakasu, M. Kawamura, und S. Ikuma, Chem. Pharm. Bull., 1963, 11, 1473.
 17. Über die Konstitution und Konfiguration des Anhydrotetrodotoxins. (Comm.).

- K. Tsuda, C. Tamura, R. Tachikawa, K. Sakai, O. Amakasu, M. Kawamura, und S. Ikuma, Chem. Pharm. Bull., 1964, 12, 634.
18. On the Structure of Tetrodotoxin. (Comm.). K. Tsuda, R. Tachikawa, K. Sakai, C. Tamura, O. Amakasu, M. Kawamura, and S. Ikuma, Chem. Pharm. Bull., 1964, 12, 642.
19. Tetrodotoxin. VII. On the Structures of Tetrodotoxin and its Derivatives. K. Tsuda, S. Ikuma, M. Kawamura, R. Tachikawa, K. Sakai, C. Tamura, and O. Amakasu, Chem. Pharm. Bull., 1964, 12, 1357.
20. The Crystal Structures of Derivatives of Tetrodotoxin. I. Tetrodonic Acid Hydrobromide. C. Tamura, O. Amakasu, Y. Sasada, and K. Tsuda, Acta Cryst., 1966, 21, 219.
21. The Crystal Structures of Derivatives of Tetrodotoxin. II. Diacetyl-anhydrotetrodotoxin Hydroiodide. C. Tamura, O. Amakasu, Y. Sasada, and K. Tsuda, Acta Cryst., 1966, 21, 226.

3. STUDIES ON STEROIDS, TERPENOIDS, AND RELATED COMPOUNDS

I. Steroids

1. Rearrangement of 1-cholestenylpyridinium p-toluenesulfonate. K. Tsuda and R. Hayatsu, J. Pharm.Soc. Japan, 1952, 72, 1303.
2. Transition of N-cholestenyl pyridinium salts (II). Partial synthesis of 3 β -carboxy-cholestene. K. Tsuda and Yayatsu, Pharm. Bull., 1953, 1, 40.
3. Cholesterol and Related Compounds. I. Structure of a New Nonconjugated Cholestadienol from 7-Bromocholesterol. K. Tsuda, K. Arima, and R. Hayatsu, J. Am. Chem. Soc., 1954, 76, 2933.
4. Cholesterol and Related Compounds. II. Bromination of 7-Ketocholestanol and 7-Ketocholestenol. K. Tsuda and R. Hayatsu, J. Am. Chem. Soc., 1955, 77, 665.
5. Cholesterol and Related Compounds. III. Conversion of Phenanthrene to Anthracene Ring System in $\Delta^{5,7}$, $\Delta^{6,8(9)}$ and $\Delta^{5,8(9)}$ -Cholestadienol. K. Tsuda and R. Hayatsu, J. Am. Chem. Soc., 1955, 77, 3089.
6. Cholesterol and Related Compounds. IV. Synthesis of 11-Ketocholestan-3 β -ol. K. Tsuda and R. Hayatsu, J. Am. Chem. Soc., 1955, 77, 6582.
7. Cholesterol and Related Compounds. V. Synthesis of Aza-D-homosteroids. K. Tsuda and R. Hayatsu, J. Am. Chem. Soc., 1956, 78, 4107.
8. Sargasterol from Sargassum Ringgoldianum Harvey. K. Tsuda, S. Akagi,

- Y. Kishida, and R. Hayatsu, Pharm. Bull., 1957, 5, 85.
9. Steroid Studies. VI. Studies on the Constitution of Sargasterol. K. Tsuda, R. Hayatsu, Y. Kishida, and S. Akagi, J. Am. Chem. Soc., 1958, 80, 921.
 10. Steroid Studies. VII. Syntheses of Sargasterol, Fucosterol, and C₂₀ - Isocholesterol. R. Hayatsu, Pharm. Bull., 1957, 5, 452.
 11. Syntheses of Sargasterol, Fucosterol, and C₂₀ -Isocholesterol. R. Hayatsu, J. Pharm. Soc. Japan, 1957, 77, 823.
 12. Discovery of Cholesterol in Some Red Algae. K. Tsuda, S. Akagi, and Y. Kishida, Science, 1957, 126, 927.
 13. Steroid Studies. VIII. Cholesterol in Some Red Algae. K. Tsuda, S. Akagi, and Y. Kishida, Chem. Pharm. Bull., 1958, 6, 101.
 14. Studies on Cholestapolyenes. VI. 3-Cyclohexycholestane and its Derivatives. K. Arima, Chem. Pharm. Bull., 1958, 6, 238.
 15. Studies on Cholestapolyenes. VII. Bicholestane and its Derivatives. K. Arima, Chem. Pharm. Bull., 1958, 6, 241.
 16. Studies on Cholestapolyenes. VIII. Separation in Stereoisomers of Bicholestane. K. Arima, Chem. Pharm. Bull., 1958, 6, 245.
 17. Über die Konfiguration am Kohlenstoffatom-22 des natürlichen 22-Hydroxycholesterins. K. Tsuda und R. Hayatsu, Chem. Pharm. Bull., 1958, 6, 580.
 18. Untersuchungen über Steroide. IX. Die Sterine aus Meeresalgen. K. Tsuda, S. Akagi, Y. Kishida, R. Hayatsu, und K. Sakai, Chem. Pharm. Bull., 1958, 6, 724.
 19. Steroid Studies. X. Studies on the Configuration of 22-Hydroxycholesterol from Nartheceum ossifragum Huda. K. Tsuda and R. Hayatsu, J. Am. Chem. Soc., 1959, 81, 5987.
 20. Steroid Studies. XI. On the Methylation of 3-Oxosteroids. (1). K. Tsuda and S. Nozoe, Chem. Pharm. Bull., 1959, 7, 232.
 21. Steroid Studies. XII. On the Methylation of 3-Oxosteroids. (2). K. Tsuda and S. Nozoe, Chem. Pharm. Bull., 1959, 7, 238.
 22. Untersuchungen über Steroide. XIII. Mattox-Umlagerung von Reichsteins Substanz S bei der Ketalisierung mit 2-Methyl-2-äthyl-1,3-dioxolan. K. Tsuda, N. Ikekawa, und S. Nozoe, Chem. Pharm. Bull., 1959, 7, 519.
 23. Untersuchungen über Steroide. XIV. Reduktion von Reichsteins Substanz S mittels Zink in Essigsäure. K. Tsuda, E. Ohki, und J. Suzuki, Chem. Pharm. Bull., 1959, 7, 522.

24. Isolation of 22-Dehydrocholesterol from Hypnea japonica. K. Tsuda, K. Sakai, K. Tanabe, and Y. Kishida, Chem. Pharm. Bull., 1959, 7, 747.
25. Absolute Configuration of C-(24) Ethyl of Stigmasterol. K. Tsuda, R. Hayatsu, and Y. Kishida, Chem. & Ind., 1959, 1411.
26. Steroid Studies. XV. Synthesis of 4,4-Dimethylcholecalciferol and Its Conversion into 10-Isosteroid. E. Ohki, Chem. Pharm. Bull., 1960, 8, 46.
27. Steroid Studies. XVI. Isolation of 22-Dehydrocholesterol from Hypnea japonica. K. Tsuda, K. Sakai, K. Tanabe, and Y. Kishida, J. Am. Chem. Soc., 1960, 82, 1442.
28. Steroid Studies. XVII. On the Absolute Configuration of C-24-Ethyl of Stigmasterol. K. Tsuda, Y. Kishida, and R. Hayatsu, J. Am. Chem. Soc., 1960, 82, 3396.
29. Steroid Studies. XVIII. Reduction of 5,7-Diene in 10-Isosteroid. E. Ohki, Chem. Pharm. Bull., 1960, 8, 229.
30. On the Absolute Configuration of Natural 24-Alkylsterols. Y. Kishida, Chem. Pharm. Bull., 1960, 8, 357.
31. Further Proof of the C(24) α -Ethyl Group in Stigmasterol. Y. Kishida, Chem. & Ind., 1960, 465.
32. Untersuchungen über Steroide. XX. Die Sterine aus grünen Meeres-Algen. K. Tsuda und K. Sakai, Chem. Pharm. Bull., 1960, 8, 554.
33. Steroid Studies. XXI. On the Reaction of 5 α ,3 α -Ethylenic Steroids. K. Tsuda and S. Nozoe, Chem. Pharm. Bull., 1960, 8, 1128.
34. Über die vier Isomere des zum Progesteron gehörigen 14,15-Glykols. H. Hasegawa, Y. Sato, und K. Tsuda, Chem. Pharm. Bull., 1961, 9, 409.
35. Untersuchungen über Steroide. XXII. Versuche zur Synthese von 20-Iso-22-dehydrocholesterin. K. Tsuda und K. Sakai, Chem. Pharm. Bull., 1961, 9, 529.
36. Steroid Studies. XXIII. Dehydrobromination of 7-Bromostigmasteryl Benzoate. S. Akagi and K. Tsuda, Chem. Pharm. Bull., 1961, 9, 459.
37. Steroid Studies. XXIV. Bromo Derivatives of Cholestenone. (1). S. Akagi and K. Tsuda, Chem. Pharm. Bull., 1961, 9, 464.
38. Bromo Derivatives of Cholestenone. (2). S. Akagi, Chem. Pharm. Bull., 1961, 9, 470.
39. Bromo Derivative of Cholestenone. (3). S. Akagi and Y. Okada, Chem. Pharm. Bull., 1961, 9, 476.

40. Steroid Studies. XXVII. A New Aromatization Reaction of the Homoannular Diene System. (1). On the Structure of the Phenolic Compound derived from 3β -Acetoxy- $\Delta^5,8$ -dien-7-one. K. Tsuda, E. Ohki, J. Suzuki, and H. Mishima, Chem. Pharm. Bull., 1961, 9, 131.
41. Untersuchungen über Steroide. XXVIII. Stereochemie des 15α -sowie des 15β -Hydroxy-progesterons. H. Hasegawa, Y. Sato, T. Tanaka, und K. Tsuda, Chem. Pharm. Bull., 1961, 9, 740.
42. An Aromatization Reaction of a Cross-Conjugated Dienone System with Zinc. (Comm.). K. Tsuda, E. Ohki, S. Nozoe, and N. Kiekawa, J. Org. Chem., 1961, 26, 2614.
43. Untersuchungen über Steroide. XXIX. Versuche zur Synthese von Cholesta-7,22-dien- 3β -ol. K. Sakai und K. Tsuda, Chem. Pharm. Bull., 1963, 11, 529.
44. Untersuchungen über Steroide. XXX. Versuche zur Synthese von Brassicasterin. K. Sakai und K. Tsuda, Chem. Pharm. Bull., 1963, 11, 650.
45. Untersuchungen über Steroide. XXXI. Umlagerung einer Doppelbindung an $C_{24(28)}$ der Sterin-Seitenkette bei Einwirkung von Jod. K. Sakai, Chem. Pharm. Bull., 1963, 11, 752.
46. Untersuchungen über Steroide. XXXII. 3β -Acetoxycholesta-5,8(9)-dien-7-on und 3β -Acetoxycholesta-5,8(14)-dien-7-on. J. Suzuki und K. Tsuda, Chem. Pharm. Bull., 1963, 11, 1028.
47. Gas Chromatography of C_{27} , C_{28} , and C_{29} Sterols. (Comm.). K. Tsuda, K. Sakai, and N. Ikekawa, Chem. Pharm. Bull., 1961, 9, 835.
48. Application of NMR to Stereochemistry. (1). The Spatial Interaction Effect of the Hydroxyl Group to Methyl Resonance. Y. Kawazoe, Y. Sato, M. Natsume, H. Hasegawa, T. Okamoto, and K. Tsuda, Chem. Pharm. Bull., 1962, 10, 338.
49. Steroid Studies. XXXV. Gas Chromatography of Androstane and Pregnane Derivatives. K. Tsuda, N. Ikekawa, Y. Sato, S. Tanaka, and H. Hasegawa, Chem. Pharm. Bull., 1962, 10, 332.
50. Application of Nuclear Magnetic Resonance to Stereochemistry. II. Determination of the Conformation of Hydroxyl Groups by Nuclear Magnetic Resonance; Androst-4-en-3-one and Pregn-4-en-3-one Series. Y. Kawazoe, Y. Sato, T. Okamoto, and K. Tsuda, Chem. Pharm. Bull., 1963, 11, 328.
51. An Aromatization Reaction of a Cross-Conjugated Dienone System with Zinc. II. Aromatization of Steroidal 1,4-Dien-3-one and 1,4,6-Trien-3-one System with

- Zinc. K. Tsuda, E. Ohki, and S. Nozoe, J. Org. Chem., 1963, 28, 783.
52. An Aromatization Reaction of a Cross-Conjugated Dienone System with Zinc. III. A Novel Synthetic Method for Estrone and A-Ring Aromatic Corticoids from the Corresponding 1,4,9(11)-Trienone System of Steroids. K. Tsuda, E. Ohki, and S. Nozoe, J. Org. Chem., 1963, 28, 786.
53. An Aromatization Reaction of a Cross-Conjugated Dienone System with Zinc. IV. Synthesis of 11-Hydroxyisoequilin and Aromatization of the Steroidal 1,4,8-Triene-3,11-dione System. K. Tsuda, S. Nozoe, and Y. Okada, J. Org. Chem., 1963, 28, 789.
54. An Aromatization Reaction of a Cross-Conjugated Dienone System with Zinc. V. Aromatization of Santonin with Zinc. S. M. Sharif, S. Nozoe, K. Tsuda, and N. Ikekawa, J. Org. Chem., 1963, 28, 793.
55. An Aromatization Reaction of a Cross-Conjugated Dienone System with Zinc. VI. Synthesis of A-Ring Anilino Steroids. K. Tsuda, S. Nozoe, T. Tatzawa, and S. M. Sharif, J. Org. Chem., 1963, 28, 795.
56. Stereochemistry of Steroid containing Aromatic A-Ring. I. Reaction of 9(11)-Dehydroestrone. K. Tsuda, S. Nozoe, and Y. Okada, Chem. Pharm. Bull., 1963, 11, 1022.
57. Stereochemistry of Steroids containing Aromatic A-Ring. II. Reaction of 9 α , 11 α -Epoxyestrone. H. Hasegawa, S. Nozoe, and K. Tsuda, Chem. Pharm. Bull., 1963, 11, 1037.
58. Steroid Studies. XLII. An Aromatization Reaction of a Cross-Conjugated Dienone System with Zinc. (8). K. Tsuda, S. Nozoe, and K. Ohata, Chem. Pharm. Bull., 1963, 11, 1265.
59. Über die Synthese von 7-Oxo-5,8(9)-dienosterin und seine Aromatisierungsreaktion mittels Zinc. K. Tsuda, J. Suzuki, and S. Iwasaki, Chem. Pharm. Bull., 1963, 11, 405.
60. Untersuchungen über Steroide. XLIV. Über 3 β -Acetoxyergosta-5,8-dien-7-on. S. Iwasaki und K. Tsuda, Chem. Pharm. Bull., 1963, 11, 1034.
61. Stereochemistry of Steroids Containing Aromatic A-Ring. III. Hydrogenation of 11 β -Hydroxy- Δ^4 -dehydroestrone. K. Tsuda, S. Nozoe, and Y. Okada, Chem. Pharm. Bull., 1963, 11, 1271.
62. Untersuchungen über Steroide. XLVI. Über die vier Isomere des zum Progesteron gehörigen 14,15-Diols. H. Hasegawa, Y. Sato, und K. Tsuda, Chem. Pharm. Bull.,

1963, 11, 1275.

63. The Anthrasteroid Rearrangement. VIII. The Rearrangement of Dehydroergosterol and $\Delta^{5,7,9(11)}$ -Cholestatrien- 3β -ol to $\Delta^{5,7,9,2}$ -Anthraergostatetraen-x-ols and $\Delta^{5,7,9}$ -Antra-cholestatrien-x-ols. K. Tsuda, R. Hayatsu, J. A. Steele, O. Tanaka, and Mosettig, J. Am. Chem. Soc., 1963, 85, 1126.
64. Studies on the Sterol of Bombyx mori L. M. Suzuki (née Saito), M. Yamazaki, M. Shimizu, and N. Ikekawa, Agr. Biol. Chem., 1963, 27, 572.
65. Stereochemistry of Steroids containing Aromatic A-Ring. IV. 9,10 β -Epoxy steroid. H. Hasegawa and K. Tsuda, Chem. Pharm. Bull., 1964, 12, 473.
66. Studies on Bile Acids and Bile Alcohols. I. Gas Liquid Chromatography of Human Bile Acids. K. Tsuda, Y. Sato, N. Ikekawa, S. Tanaka, H. Higashikuze, and R. Ohsawa, Chem. Pharm. Bull., 1965, 12, 710.
67. Studies on Bile Alcohols. II. Separation of Bile Acids by Gas Liquid Chromatography. K. Tsuda, Y. Sato, N. Ikekawa, S. Tanaka, H. Higashikuze, and R. Ohsawa, Chem. Pharm. Bull., 1965, 12, 720.
68. Rearrangement Reaction of 4,4-Dialkyl-5-en-3-one Steroids to A-Ring Aromatic Systems. (Comm.). Y. Sato, A. Mizuguchi, S. Tanaka, and K. Tsuda, Chem. Pharm. Bull., 1965, 12, 393.
69. Studies on the Sterol of Bombyx mori L. II. Quantitative Analysis of Total Sterol in the Silkworm. M. Suzuki (née Saito), E. Akaike, K. Tsuda, and N. Ikekawa, Chem. Pharm. Bull., 1966, 14, 830.
70. Studies on the Sterol of Bombyx mori L. III. Fate and Distribution of 4- 14 C-Cholesterol in the Silkworm. M. Suzuki (née Saito), N. Ikekawa, and M. Kobayashi, Appl. Ent. Zool., 1966, 1, 37.
71. Studies on the Sterol of Bombyx mori L. IV. Conversion of the Sterol in the Silkworm. N. Ikekawa, M. Suzuki (née Saito), M. Kobayashi, and K. Tsuda, Chem. Pharm. Bull., 1966, 14, 834.
72. Studies on the Sterol of Bombyx mori L. V. Lupeol in Silkworm Blood. M. Suzuki, (née Saito) and N. Ikekawa, Chem. Pharm. Bull., 1966, 14, 1049.
73. Studies on Hydrocarbons of Bombyx mori L., M. Suzuki (née Saito), N. Ikekawa, E. Akaike, and K. Tsuda, Chem. Pharm. Bull., 1966, 14, 837.
74. Untersuchungen über Steroide. LI. Aromatisierungsreaktion des Kreuzkonjugierten Dienonsystems mittels Zink. (9). M. Morisaki, H. Izawa, und K. Tsuda, Chem. Pharm. Bull., 1966, 14, 866.

75. Untersuchungen über Steroide. LII. Aromatisierungsreaktion des geradling konjugierten Dienonsystems mittels Zink. H. Izawa, M. Morisaki, und K. Tsuda, Chem. Pharm. Bull., 1966, 14, 873.
76. Gas Chromatographic Analysis of Oxidation Products of Adrenal Corticosteroids. K. Tsuda, N. Ikekawa, Y. Sato, and R. Watanuki, Anal. Biochem., 1966, 16, 183.
77. Saringosterol, A new Sterol from Brown Algae. (Comm.). N. Ikekawa, K. Tsuda, and N. Morisaki, Chem. & Ind., 1966, 1179.
78. Sterol Compositions in Some Green Algae and Brown Algae. N. Ikekawa, N. Morisaki, K. Tsuda, and T. Yoshida, Steroids, 1968, 41.

II. Steroidal Alkaloids

1. Studies on the Constituent of Domestic Veratrum Plants. I. Constituent of Veratrum oxysepalum Turcz. B. Shimizu and M. Suzuki, J. Pharm. Soc. Japan, 1959, 79, 609 (Japanese).
2. Studies on the Constituent of Domestic Veratrum Plants. II. Constituent of Veratrum glandiflorum Loesen. B. Shimizu and R. Hayashi, J. Pharm. Soc. Japan, 1959, 79, 615.
3. Studies on the Constituent of Domestic Veratrum Plants. III. Constituent of Veratrum album Staminium Maxim. M. Suzuki, Y. Murase, R. Hahashi, and N. Sanpei, J. Pharm. Soc. Japan, 1959, 79, 619.
4. Absolute Configuration at C(25) in Jervine and Veratramine. (Comm.). S. Okuda, K. Tsuda, and H. Kataoka, Chem. & Ind., 1961, 512.

III. Sojabohnen-Saponin

1. Über Sojabohnen-Saponin (I. Mitteil.). E. Ochiai, K. Tsuda, und S. Kitagawa, Chem. Ber., 1937, 70, 2083.
2. Selen-Dehydrierung des Soja-Sapogenols-B (II. Mitteil.). Über Sojabohnen-Saponin). E. Ochiai, K. Tsuda, und S. Kitagawa, Chem. Ber., 1937, 70, 2093.
3. Über Sojabohnen-Saponin (III. Mitteil.). K. Tsuda und S. Kitagawa, Chem. Ber., 1938, 71, 790.
4. Über die Identität des Soja-Sapogenols B mit einem neuen Sterin aus "Shoyu-81". K. Tsuda und T. Kazuno, J. Pharm. Soc. Japan, 1938, 58, 142 (German); Ibid., 1938, 58, 522 (Japanese).
5. Über die Dehydrierung der Triterpenoiden Alkohole mittels fein verteilten

- Kupfers. K. Tsuda und S. Kitagawa, Proc. Imp. Acad. Tokyo, 1938, 14, 182.
6. Über Sojabohnen-Saponin (IV. Mitteil.). K. Tsuda und S. Kitagawa, Chem. Ber., 1938, 71, 1604.
7. Über Sojabohnen-Saponin (V. Mitteil.). K. Tsuda und Z. Ichikawa, Chem. Ber., 1939, 72, 716.

IV. Alantolactone

1. Stereochemistry of Tetrahydroalantolactone. K. Tsuda and K. Tanabe, J. Pharm. Soc. Japan, 1957, 77, 558 (English).
2. On the Structure of Alantolactone. K. Tsuda, K. Tanabe, I. Iwai, and K. Funakoshi, J. Am. Chem. Soc., 1957, 79, 1009.
3. The Structure of Alantolactone. K. Tsuda, K. Tanabe, I. Iwai, and K. Funakoshi, J. Am. Chem. Soc., 1957, 79, 5721.
4. The Structure of Alantolactone. III. Configurations of 4-Methyl Group in Tetrahydroalantolactone and Several 3-Hydroxytetrahydroalantolactones. K. Tanabe, Chem. Pharm. Bull., 1958, 6, 218.

4. STUDIES ON MICROBIAL TRANSFORMATION OF STEROIDS AND ALKALOIDS

1. Microbial Hydroxylation of Progesterone by Syncephalastrum sp. T. Asai, K. Aida, E. Ohki, T. Tanaka, and M. Hattori, J. Agr. Chem. Soc. Japan, 1958, 32, 723 (Japanese).
2. Microbiological Hydroxylation of Steroids I. Microbiological Hydroxylation of Progesterone by Rhizopus. T. Asai, K. Tsuda, K. Aida, E. Ohki, T. Tanaka, M. Hattori, and H. Machida, J. Gen. Appl. Microbiology, 1958, 4, 63.
3. Microbiological Hydroxylation of Steroids II. Microbiological Hydroxylation of Progesterone by Aspergillus. H. Iizuka, A. Naito, and M. Hattori, J. Gen. Appl. Microbiology, 1958, 4, 67.
4. Microbiological Hydroxylation of Steroids III. Hydroxylation of Progesterone by Synthecephalastrum sp. (1). T. Asai, K. Tsuda, K. Aida, E. Ohki, T. Tanaka, and M. Hattori, J. Gen. Appl. Microbiology, 1958, 4, 79.
5. Microbiological Hydroxylation of Steroids IV. 7 α ,15 β -Dihydroxylation of Progesterone by Syncephalastrum sp. (2). K. Tsuda, T. Asai, E. Ohki, T. Tanaka, and M. Hattori, Chem. Pharm. Bull., 1958, 6, 387.
6. Mikrobiologische Hydroxylierung des Steroide V(1). Hydroxylierung von

- Progesteron und Reichsteins Substanz S durch Diplodia tubericola (Ell & Ev. Ganb). K. Tsuda, T. Asai, Y. Sato, T. Tanaka, und M. Kato, J. Gen. Appl. Microbiology, 1959, 5, 1
7. Mikrobiologische Hydroxylierung der Steroide VI(1). Hydroxylierung von Progesteron und Reichsteins Substanz S durch Achromobacter kashiwasakiensis Nov. sp. K. Tsuda, H. Iizuka, E. Ohki, Y. Sato, A. Naito, und M. Hottori, J. Gen. Appl. Microbiology, 1959, 5, 7.
 8. Mikrobiologische Hydroxylierung der Steroide. VII. Hydroxylierung von Progesteron in der 7 α ,14 α - und 15 β -Stellung durch Syncephalastrum racemosum Cohn. K. Tsuda, T. Asai, E. Ohki, T. Tanaka, und T. Matsuhisa, Chem. Pharm. Bull., 1959, 7, 369.
 9. Mikrobiologische Hydroxylierung der Steroide. VIII. 15 α -Hydroxyliertes Reichsteins Substanz S. K. Tsuda, T. Asai, Y. Sato, und T. Tanaka, Chem. Pharm. Bull., 1959, 7, 534.
 10. Microbiological Hydroxylation of Steroid IX. Hydroxylation of Steroid by Syncephalastrum racemosum. T. Asai, K. Aida, T. Tanaka, E. Ohki, T. Matsuhisa, Y. Takeda, and T. Inui, J. Gen. Appl. Microbiology, 1959, 5, 127.
 11. Mikrobiologische Hydroxylierung der Steroide. X. Über 7 β , 15 β -Dihydroxypregn-4-en-3,20-dion. K. Tsuda, T. Asai, Y. Sato, T. Tanaka, T. Matsuhisa, und H. Hasegawa, Chem. Pharm. Bull., 1960, 8, 626.
 12. Untersuchungen auf dem Gebiet der mikrobiologischen Umsetzung. XI. Hydroxylierung von Progesteron in der 7 α -, 7 β -, 14 α -, 15 α - oder 15 β -Stellung durch Helminthosporium sativum. K. Tsuda, T. Asai, Y. Sato, T. Tanaka, und H. Hasegawa, Chem. Pharm. Bull., 1961, 9, 735.
 13. Microbiological Hydroxylation of Steroids XII. Oxidation of Progesterone and Reichstein's Compound S by Genus Pseudomonas and others. H. Iizuka and A. Naito, J. Gen. Appl. Microbiology, 1960, 6, 169.
 14. Microbiological Hydroxylation of Steroids. XIII. Oxidation of Steroids by Bacillus pulvifaciens. H. Iizuka, A. Naito, and Y. Sato, J. Gen. Appl. Microbiology, 1961, 7, 118.
 15. Untersuchungen auf dem Gebiet der mikrobiologischen Umsetzung. XIV. C₄-Dehydrierung von Reichsteins Substanz S, Hydrocortison, Pregnenolon und Dehydroepiandrosteron durch Bacillus pulvifaciens (1). K. Tsuda, H. Iizuka, Y. Sato, A. Naito, und M. Kato, Chem. Pharm. Bull., 1961, 9, 925.

16. Untersuchungen auf dem Gebiet der mikrobiologischen Umsetzung. XV. C₁ - Dehydrierung von Reichsteins Substanz S. Hydrocortison, Pregnenolon und Dehydroepiandrosteron. Y. Sato, A. Naito, M. Kato, H. Iizuka, und K. Tsuda, Chem. Pharm. Bull., 1961, 9, 932.
17. Mikrobiologische Verwandlung von Thebain in das 14-Hydroxycodeinon mittels einiger Pilze. K. Iizuka, S. Okuda, K. Aida, T. Asai, K. Tsuda, M. Yamada, und I. Seki, Chem. Pharm. Bull., 1960, 8, 1056.
18. Untersuchungen auf dem Gebiet der Mikrobiologischen Umsetzung. XVI. Umwandlung von Alkaloiden in der Morphin-Reihe durch Trametes sanguinea (1). K. Iizuka, M. Yamada, J. Suzuki, I. Seki, K. Aida, S. Okuda, T. Asai, und K. Tsuda, Chem. Pharm. Bull., 1962, 10, 67.
19. Untersuchungen auf dem Gebiet der Mikrobiologischen Umsetzung. XVII. Umwandlung von Alkaloiden in der Morphin-Reihe durch Trametes sanguinea (2). M. Yamada, K. Iizuka, S. Okuda, T. Asai, und K. Tsuda, Chem. Pharm. Bull., 1962, 10, 981.
20. Untersuchungen auf dem Gebiet der mikrobiologischen Umsetzung. XVIII. Umwandlung von Alkaloiden in der Morphin-Reihe durch Trametes sanguinea (3) M. Yamada, K. Iizuka, S. Okuda, T. Asai, und K. Tsuda, Chem. Pharm. Bull., 1963, 11, 206.
21. Untersuchungen auf dem Gebiet der mikrobiologischen Umsetzung. XIX. Umwandlung von Alkaloiden in der Morphin-Reihe durch Trametes sanguinea (4). M. Yamada, Chem. Pharm. Bull., 1963, 11, 356.
22. Untersuchungen auf dem Gebiet der mikrobiologischen Umsetzung. XX. Hydroxylierung von Progesteron mittels Syncephalastrum racemosum Cohn (5). Y. Sato, T. Tanaka, M. Kato, und K. Tsuda, Chem. Pharm. Bull., 1963, 11, 1579.
23. Transformation of Steroids by Pseudomonas chlororaphis (Studies on Steroids and Microorganisms Part VI). A. Naito, Y. Sato, H. Iizuka, and K. Tsuda, Steroids, 1964, 3, 327.

5. STUDIES ON MOULD METABOLITES

1. The Structure of Helvolic Acid. (Comm.). S. Okuda, S. Iwasaki, K. Tsuda, Y. Sano, T. Hata, S. Udagawa, Y. Nakayama, and H. Yamaguchi, Chem. Pharm. Bull., 1964, 12, 121.
2. The Structure of Ophiobolin, a C₂₅ Terpenoid having a Novel Skeleton. (Comm.).

- S. Nozoe, M. Morisaki, K. Tsuda, Y. Iitaka, N. Takahashi, S. Tamura, K. Ishibashi, and M. Shirasaka, J. Am. Chem. Soc., 1965, 87, 4968.
3. The Structure of Pyrenophorin. (Comm.). S. Nozoe, K. Hirai, K. Tsuda, K. Ishibashi, M. Shirasaka, and J. F. Grove, Tetrahedron Letters, 1965, 4675.
 4. The Structure of Zizanin-A and -B, C₂₅ Terpenoids isolated from Helminthosporium zizaniae. (Comm.). S. Nozoe, K. Hirai, and K. Tsuda, Tetrahedron Letters, 1966, 2211.
 5. Studies on Microbial Products. I. Helvolic Acid and Related Compounds. I. 7-Desacetoxyhelvolic Acid and Helvolic Acid. S. Okuda, Y. Nakayama, and K. Tsuda, Chem. Pharm. Bull., 1966, 14, 436.
 6. The Structure of Siccanin. (Comm.). K. Hirai, S. Nozoe, K. Tsuda, Y. Iitaka, K. Ishibashi, and M. Shirasaka, Tetrahedron Letters, 1967, 2177.
 7. Stereochemistry of Helvolic Acid. (Comm.). S. Okuda, S. Iwasaki, M. I. Sair, Y. Machida, A. Inoue, K. Tsuda, and Y. Nakayama, Tetrahedron Letters, 1967, 2295.
 8. The Structure of Cephalonic Acid, a Pentaprenyl Terpenoid. (Comm.). A. Itai, S. Nozoe, K. Tsuda, S. Okuda, Y. Iitaka, and Y. Nakayama, Tetrahedron Letters, 1967, 4111.
 9. Chemical Transformation of Cephalonic Acid. (Comm.). S. Nozoe, A. Itai, K. Tsuda, and S. Okuda, Tetrahedron Letters, 1967, 4113.
 10. Biogenesis of Ophiobolins. The Origin of the Oxygen Atoms in the Ophiobolins (1). S. Nozoe, M. Morisaki, K. Tsuda and S. Okuda, Tetrahedron Letters, 1967, 3365.
 11. Nomenclature of Ophiobolins. (Comm.). K. Tsuda, S. Nozoe, M. Morisaki, K. Hirai, A. Itai, S. Okuda, L. Canonica, A. Fiecchi, M. G. Kienle, and A. Scala, Tetrahedron Letters, 1967, 3369.

6. STUDIES ON NITROGENOUS HETEROCYCLIC COMPOUNDS

I. Pyrrolidin-Derivate

1. Untersuchungen über Pyrrolidin-Derivate (I. Mitteil.). E. Ochiai und K. Tsuda, Chem. Ber., 1934, 67, 1011.
2. Ring-Erweiterung von Indolizidin zur Norlupinan-Reihe. (II. Mitteil.). Über Pyrrolidin-Derivate. E. Ochiai, K. Tsuda, und J. Yokoyama, Chem. Ber., 1935, 68, 2291.

3. Über die katalytische Druck-Hydrierung der Pyridylpyrrol-Derivate. (III. Mitteil.). Über Pyrrolidin-Derivate. E. Ochiai, K. Tsuda, und S. Ikuma, Chem. Ber., 1936, 69, 2238.
4. Notiz über die Bromcyan-Aufspaltung von Pyrrolidin-Derivaten. E. Ochiai und K. Tsuda, J. Pharm. Soc. Japan, 1936, 56, 52.
5. Über einige Pyrrolidin- und Piperidin-Derivate. K. Tsuda, J. Pharm. Soc. Japan, 1936, 56, 54.

II. Alkylation of Aminoquinoline

1. Alkylation of aminoquinoline. I. Preparation of plasmochin. S. Yoshida, J. Pharm. Soc. Japan, 1946, 66B, 155 (Japanese).
2. Alkylation on aminoquinolines. II. S. Yoshida, J. Pharm. Soc. Japan, 1947, 67, 65 (Japanese).
3. Alkylation of aminoquinolines. III. S. Yoshida, J. Pharm. Soc. Japan, 1949, 67, 67 (Japanese).
4. Alkylation of aminoquinolines. IV. Preparation of plasmochin. S. Yoshida, J. Pharm. Soc. Japan, 1947, 67, 70 (Japanese).
5. Alkylation of aminoquinolines. V. Preparation of plasmochin. S. Yoshida, J. Pharm. Soc. Japan, 1947, 67, 72 (Japanese).

III. Coal Tar Bases

1. Studies on the Coal Tar Bases. I. Synthesis of Tetramethylpyridine. K. Tsuda, N. Ikekawa, H. Mishima, A. Iino, and T. Morishige, Pharm. Bull., 1953, 1, 122.
2. Studies on the Coal Tar Bases. II. Synthesis of Trimethylpyridines (1). K. Tsuda, N. Ikekawa, A. Iino, M. Furukawa, and T. Hattori, Pharm. Bull., 1953, 1, 126.
3. Studies on the Coal Tar Bases. III. Synthesis of Dimethylpyridines. K. Tsuda, N. Ikekawa, R. Takasaki, and Y. Yamakawa, Pharm. Bull., 1953, 1, 142.
4. Studies on the Coal Tar Bases. IV. Infrared Spectra of Polymethylpyridines. K. Tsuda and M. Maruyama, Pharm. Bull., 1953, 1, 146.
5. Studies on the Coal Tar Bases. V. Pyridine Bases from Low-Temperature Cooking Tar (1). N. Ikekawa, Pharm. Bull., 1953, 1, 149.
6. Studies on the Coal Tar Bases. VI. Synthesis of 3,4,5-Collidine. K. Tsuda, H. Mishima, and M. Maruyama, Pharm. Bull., 1953, 1, 283.

7. Studies on the Coal Tar Bases. VII. Basicity of Methylpyridines. N. Ikekawa, Y. Sato, and T. Maeda, Pharm. Bull., 1954, 2, 205.
8. Studies on the Coal Tar Bases. VIII. Ultraviolet Spectra of Methylpyridines. N. Ikekawa, M. Maruyama, and Y. Sato, Pharm. Bull., 1954, 2, 209.
9. Studies on the Coal Tar Bases. IX. Methylpyridine 1-Oxides and their Ultraviolet Absorption Spectra. N. Ikekawa and Y. Sato, Pharm. Bull., 1954, 2, 400.
10. Studies on the Coal Tar Bases. X. Quantitative Analysis of Pyridine Bases from Coal Tar by Ultraviolet Absorption Spectroscopy. K. Tsuda, M. Maruyama, and N. Ikekawa, J. Pharm. Soc. Japan, 1955, 75, 1309 (Japanese).
11. Studies on the Coal Tar Bases. XI. The Ultraviolet Absorption Spectra of Ethylpyridines. N. Ikekawa and Y. Sato, Pharm. Bull., 1956, 4, 136.
12. Studies on the Infrared Spectra of Heterocyclic Compounds. I. Infrared Spectra of Alkylpyridines. H. Shindo and N. Ikekawa, Pharm. Bull., 1956, 4, 192.
13. Studies on the Coal Tar Bases. XIII. Synthesis of Methylquinoline Derivatives. (1). S. Tamura, C. Takiguchi, and K. Sakai, J. Pharm. Soc. Japan, 1956, 76, 912 (Japanese).
14. Studies on the Coal Tar Bases. XIV. Synthesis of Methylquinoline Derivatives. (2). S. Tamura and M. Yamazaki, J. Pharm. Soc. Japan, 1956, 76, 915 (Japanese).
15. Analysis of Pyridine Bases from Coal Tar by Infrared Absorption Spectroscopy. K. Tsuda, N. Ikekawa, H. Shindo, and Y. Sato, Japan Analyst, 1958, 7, 151.

IV. Naphthyridines

1. Synthese des 5,7-Dimethyl-1,2,3,4-tetrahydro-1,6-naphthyridines. S. Okuda, Pharm. Bull., 1957, 5, 460.
2. Studies on Naphthyridines. I. Synthesis of 1,6-Naphthyridine. N. Ikekawa, Chem. Pharm. Bull., 1958, 6, 263.
3. Studies on Naphthyridines. II. Synthesis of 2,7-Naphthyridine. N. Ikekawa, Chem. Pharm. Bull., 1958, 6, 269.
4. Studies on Naphthyridines. III. Syntheses of 2,10-Diazaanthracene and 1,7-Naphthyridine. N. Ikekawa, Chem. Pharm. Bull., 1958, 6, 401.
5. Studies on Naphthyridines. IV. Infrared Spectra of Naphthyridines. N. Ikekawa, Chem. Pharm. Bull., 1958, 6, 404.

6. Studies on Naphthyridines. V. Catalytic Reduction of Naphthyridines. N. Ikekawa, Chem. Pharm. Bull., 1958, 6, 408.
7. Syntheses of 2-Hydroxymethylnicotinic Acid Lactone, 2-Hydroxymethylpyridine-3-acetic Acid Lactone, and Some of their Derivatives. Y. Sato, T. Iwashige, and T. Miyadera, Chem. Pharm. Bull., 1960, 8, 427.

7. STUDIES ON CHEMOTHERAPEUTICA

I. Antimalariapräparate

1. Darstellung einiger Aminoalkyl-Substitution Produkte von 2-Aminobenzthiazol-Verbindungen. I. K. Tsuda, S. Sakamoto, H. Matsuda, und T. Kanno, J. Pharm. Soc. Japan, 1940, 60, 184 (German); Ibid., 1940, 60, 462 (Japanese).
2. Die Sulfanilamid-N¹-Derivate der Verbindungen der Benzthiazol-Reihe (II. Mitteil. über Antimalariapräparate). K. Tsuda und S. Fukushima, J. Pharm. Soc. Japan, 1942, 62, 24 (German); Ibid., 1942, 62, 64 (Japanese).
3. Die Derivate des Benzthiazolons(2) (III. Mitteil. über Antimalariapräparate). K. Tsuda und A. Oguri, J. Pharm. Soc. Japan, 1942, 62, 24 (German); Ibid., 1942, 62, 67 (Japanese).
4. Die Derivate des 4(3H)-Chinazolons (4) (IV. Mitteil. über Antimalariapräparate). K. Tsuda, S. Fukushima, H. Itikawa, S. Yoshida, und G. Isii, J. Pharm. Soc. Japan, 1942, 62, 26 (German); Ibid., 1942, 62, 69 (Japanese).
5. Die Derivate des Chinazolins I. (V. Mitteil. über Antimalariapräparate). K. Tsuda, S. Isii, S. Fukushima, H. Itikawa, und S. Yoshida, J. Pharm. Soc. Japan, 1942, 62, 87 (German); Ibid., 1942, 62, 335 (Japanese).
6. Chinazolin Derivate. (VI. Mitteil. über Antimalariapräparate). K. Tsuda, S. Isii, S. Fukushima, und Y. Kagaya, J. Pharm. Soc. Japan, 1943, 63, 445.
7. Benzthiazol Derivate.(2) (VII. Mitteil. über Antimalariapräparate). K. Tsuda, S. Isii, und S. Matsunaga, J. Pharm. Soc. Japan, 1943, 63, 448.
8. Crystalline salts of plasmochin. K. Tsuda, J. Pharm. Soc. Japan, 1944, 64, 222.
9. Hydrolysis rate of acrinamine. K. Noda, J. Pharm. Soc. Japan, 1944, 64B, 79.
10. Purification and determination of plasmochin. K. Tsuda, S. Yoshida, und T. Matsumoto, J. Pharm. Soc. Japan, 1946, 66B, 149.
11. Supplementary experiments on quantitative reagents, 1-(β -Diethylaminoethylamino)-

Naphthaline for sulfanilamides. K. Tsuda and T. Nakamura, J. Pharm. Soc. Japan, 1947, 67, 239

12. Syntheses, properties, and estimations of sulfa drugs. K. Tsuda, J. Pharm. Soc. Japan, 1948, 2, 12.

II. Synthetic Studies on the Sulfanilamides Group

1. Synthetische Versuche in der Reihe der heterocyclischen Derivate von Sulfanilamid. K. Tsuda, Z. Ichikawa, und D. So, J. Pharm. Soc. Japan, 1939, 59, 155 (German).
2. Über die experimentellen chemotherapeutischen Untersuchungen der heterocyclischen Derivate von Sulfanilamid. K. Tsuda und K. Suzuki, J. Pharm. Soc. Japan, 1939, 59, 224 (German).
3. Synthetic Studies on the Sulfonamide Group. I. Reactions of crude pyridine with sulfonyl chlorides. K. Tsuda and T. Matsumoto, J. Pharm. Soc. Japan, 1947, 67, 149 (Japanese).
4. Synthetic Studies on the Sulfonamide Group. II. Synthesis of sulfa-carboxythiazole. K. Tsuda and T. Nakamura, J. Pharm. Soc. Japan, 1948, 68, 101 (Japanese).
5. Synthetic Studies on the Sulfonamide Group. III. The Reductive Dehalogenation of Chloropyridines. K. Tsuda and Y. Ogawa, J. Pharm. Soc. Japan, 1948, 68, 103 (Japanese).
6. Synthetic Studies on the Sulfonamide Group. IV. Bis-sulfanilyl Derivatives of 2-Aminothiazoles. (1). K. Tsuda and S. Sakamoto, J. Pharm. Soc. Japan, 1948, 68, 105 (Japanese).
7. Synthetic Studies on the Sulfonamide Group. V. Bis-sulfanilyl Derivatives of 2-Aminothiazole. (2). K. Tsuda and S. Sakamoto, J. Pharm. Soc. Japan, 1949, 69, 165 (Japanese).
8. Synthetic Studies on the Sulfanilamide Group. VI. Syntheses of 2-Sulfanilamidopyrimidine Derivatives. K. Tsuda and Y. Ogawa, J. Pharm. Soc. Japan, 1950, 70, 73 (Japanese).
9. Synthetic Studies on the Sulfanilamide Group. VII. Reactions of bis-[Arylsulfonyl]-thiazolone-imide (2) with Alcohols in the Presence of Guanidine Carbonate. K. Tsuda, S. Sato, H. Okeda, and S. Motoyoshi, J. Pharm. Soc. Japan, 1950, 70, 425 (English).

10. Reaction Mechanism of bis-[Arylsulfonyl]-thiazolone-imide (2) with Alcohols.
H. Okeda, J. Pharm. Soc. Japan, 1950, 70, 734 (Japanese).

8. STUDIES ON ALIPHATIC AMINES

1. Über die Hydrierungsreaktion von 1-Diäthylaminobutanon(3). K. Tsuda, S. Fukushima, und A. Oguri, J. Pharm. Soc. Japan, 1941, 61, 31 (German); Ibid., 1941, 61, 69 (Japanese).
2. Über das azeotropische Gemisch des 1-Diäthylaminobutanol(3) mit Essigsäure. K. Tsuda, A. Oguri, und S. Fukushima, J. Pharm. Soc. Japan, 1941, 61, 36 (German); Ibid., 1941, 61, 74 (Japanese).
3. Über die Synthese von γ -Diäthylaminopropylbromid und Fournes 710. K. Noda, S. Sakamoto, und G. Isii, J. Pharm. Soc. Japan, 1942, 62, 106 (German); Ibid., 1942, 62, 364 (Japanese).
4. Preparation of 3-aminopropano and 3-diethylaminopropylamine. Synthetic Studies on Aliphatic Amines. IV. K. Tsuda and S. Sakamoto, J. Pharm. Soc. Japan, 1943, 63, 544 (Japanese).
5. Preparation of diethylaminoisopentanol from methyltetrahydrofuran. Synthetic Studies on Aliphatic Amines. V. K. Tsuda, S. Yoshida, and Y. Yamashina, J. Pharm. Soc. Japan, 1946, 66, 59 (Japanese).
6. Separation of primary, secondary, and tertiary amines by partial neutralization. (1) Classification of ethylamine series. Synthetic Studies on Aliphatic Amines. VI. K. Tsuda and T. Matsumoto, J. Pharm. Soc. Japan, 1947, 67, 107 (Japanese).
7. Reaction of ethyl bromide and ammonia. Synthetic Studies on Aliphatic Amines. VII. K. Tsuda and T. Matsumoto, J. Pharm. Soc. Japan, 1947, 67, 109 (Japanese).
8. Separation of alkylamines. Synthetic Studies on Aliphatic Amines. VIII. K. Tsuda and T. Matsumoto, J. Pharm. Soc. Japan, 1947, 67, 111 (Japanese).
9. Separation of aniline, benzylamine, and allylamine series. Synthetic Studies on Aliphatic Amines. IX. K. Tsuda and T. Matsumoto, J. Pharm. Soc. Japan, 1947, 67, 113 (Japanese).
10. Separation of amines by partial neutralization. Synthetic Studies on Aliphatic Amines. X. K. Tsuda, T. Matsumoto, and T. Nakamura, J. Pharm. Soc. Japan, 1947, 67, 115 (Japanese).
11. Volatility of amines in the presence of water. Synthetic Studies on Aliphatic

- Amines. XI. K. Tsuda and T. Nakamura, J. Pharm. Soc. Japan, 1947, 67, 117 (Japanese).
12. Separation of pyridine and α -picoline by ion-exchange resins. Synthetic Studies on Aliphatic Amines. XII. K. Tsuda and T. Matsumoto, J. Pharm. Soc. Japan, 1947, 67, 236 (Japanese).
13. Separation of aliphatic amines by ion-exchange resin. Synthetic Studies on Aliphatic Amines. XIII. K. Tsuda and T. Matsumoto, J. Pharm. Soc. Japan, 1947, 67, 238 (Japanese).
14. 3-Chlorobutenylamine derivatives. Synthetic Studies on Aliphatic Amines. XIV. K. Tsuda and S. Yoshida, J. Pharm. Soc. Japan, 1948, 68, 98 (Japanese).
15. Quantitative determination of ammonia in methylamine by a complex cobalt salt. T. Matsumoto, J. Pharm. Soc. Japan, 1950, 70, 246 (Japanese).
16. Separation and determination of aliphatic amines. T. Matsumoto, J. Pharm. Soc. Japan, 1950, 70, 595 (Japanese).

9. STUDIES ON MICROANALYSIS

1. Über eine einfache microanalytische Chlor und Brom-Bestimmung. (I. Mitteilung zur Kenntnis der organischen Mikroanalyse.) E. Ochiai, K. Tsuda, und S. Sakamoto, J. Pharm. Soc. Japan, 1937, 57, 301 (German); Ibid., 1937, 57, 1032 (Japanese).
2. Über die Microbestimmung der ungesättigten Doppelbindungen durch katalytische Reduktion. (II. Mitteilung zur Kenntnis der organischen Mikroanalyse.) K. Tsuda und S. Sakamoto, J. Pharm. Soc. Japan, 1937, 57, 303 (German); Ibid., 1937, 57, 1037 (Japanese).
3. Über eine einfache massanalytische Mikrobestimmung der ionisierbaren organischen Halogenderivate mit Adsorptionsindikatoren. (IV. Mitteilung zur Kenntnis der organischen Mikroanalyse.) S. Uyeo und S. Sakamoto, J. Pharm. Soc. Japan, 1938, 58, 212 (German); Ibid., 1938, 58, 711 (Japanese).
4. Einige Verbesserungen für die mikroanalytischen Apparate nach Pregl. (VII. Mitteilung zur Kenntnis der organischen Mikroanalyse.) S. Sakamoto, J. Pharm. Soc. Japan, 1938, 58, 304 (German); Ibid., 1938, 58, 1049 (Japanese).
5. Organo-microanalysis. VIII. Determination of carbon and hydrogen. S. Sakamoto, J. Pharm. Soc. Japan, 1939, 59, 623 (Japanese).
6. Organo-microanalysis. IX. Volumetric analysis of sulfur. S. Sakamoto, J.

Pharm. Soc. Japan, 1939, 59, 631 (Japanese).

7. Quantitative Bestimmung von Arsen bzw. Antimon introganischen Verbindungen nach dem Bromat-Bromid-Verfahren. K. Tsuda und S. Sakamoto, J. Pharm. Soc. Japan, 1941, 61, 217 (Japanese).
8. Organic microanalysis. XI. Determination of aromatic primary amines. K. Tsuda and S. Matsunaga, J. Pharm. Soc. Japan, 1942, 62, 362 (Japanese).
9. Organic microanalysis. XII. Determination of copper by the iodine method. S. Sakamoto, J. Pharm. Soc. Japan, 1943, 63, 543 (Japanese).
10. Organic microanalysis. XIII. Purification of reagents for microanalysis. (1). S. Sakamoto, T. Takamori, and T. Watanabe, J. Pharm. Soc. Japan, 1943, 63, 541 (Japanese).
11. Organic Microanalysis. XIV. Preparation and purification of reagents for microanalysis. (2). S. Sakamoto and T. Ikegai, J. Pharm. Soc. Japan, 1944, 64, 126 (Japanese).
12. Organic Microanalysis. XV. Volumetric Determination of Phosphorus. S. Sakamoto and R. Hayatsu, J. Pharm. Soc. Japan, 1950, 70, 698 (Japanese).
13. Organic Microanalysis. XVI. Microdetermination of carbon and hydrogen. S. Sakamoto, J. Pharm. Soc. Japan, 1950, 70, 699 (Japanese).
14. Microdetermination of Mercury in Organic Compounds. M. Hirai, and R. Hayatsu, J. Pharm. Soc. Japan, 1950, 70, 670 (Japanese).
15. Colorimetric Estimation of Chloromycetin by Diethyl-aminoethyl- α -naphthylamine. H. Negoro, J. Pharm. Soc. Japan, 1950, 70, 669 (Japanese).
16. New Micro-Kjeldahl method. R. Hayatsu, J. Pharm. Soc. Japan, 1950, 70, 357 (Japanese).
17. Volumetric Determination of Organic Sulfur. R. Hayatsu, J. Pharm. Soc. Japan, 1950, 70, 741 (Japanese).
18. Determination of Ammonia in Organic Microanalysis. T. Fukushima and O. Nagase, J. Pharm. Soc. Japan, 1950, 70, 590 (Japanese).

10. MISCELLANEOUS

1. Synthese von C-substituierten Pyridyl-pyrrol-Derivaten. E. Ochiai, K. Tsuda, und S. Ikuma, Chem. Ber., 1935, 68, 1551.
2. Synthese von C-substituierten Pyridyl-pyrrol-Derivaten (II. Mitteil.) E. Ochiai, K. Tsuda, und S. Ikuma, Chem. Ber., 1935, 68, 1710.

3. Eine Bemerkung über den δ^a -Norlupinen-Ring. K. Tsuda und J. Yokoyama, J. Pharm. Soc. Japan, 1936, 56, 50 (German).
4. Über Diaminotropin und seine Derivate. E. Ochiai, K. Tsuda, und K. Murakami, J. Pharm. Soc. Japan, 1937, 57, 87 (German).
5. Observations on diphenylurea derivatives. K. Tsuda and S. Sakamoto, J. Pharm. Soc. Japan, 1944, 54, 221 (Japanese).
6. Preparation of methyltetrahydrofuran. K. Tsuda, S. Yoshida, M. Yamada, and Y. Maruya, J. Pharm. Soc. Japan, 1946, 66B, 151 (Japanese).
7. Organic reactions with ion-exchange resin. I. Preparation of esters. K. Tsuda and T. Matsumoto, J. Pharm. Soc. Japan, 1948, 68, 235 (Japanese).
8. Organic reactions with an ion-exchange resin. II. T. Matsumoto, J. Pharm. Soc. Japan, 1949, 69, 192 (Japanese).
9. The Migration of Benzyl Group from Nitrogen to the Carbon in the Methyl Group of α - and γ -Picolines. K. Tsuda, Y. Satoh, and S. Saeki, Pharm. Bull., 1953, 1, 307.
10. cis, cis- und trans, trans-1-Methyl-4-hydroxy-3,5-bis (ethoxycarbonylmethyl) piperidin. K. Tsuda und K. Sakai, Chem. Pharm. Bull., 1959, 7, 199.
11. Gas Chromatography of the Morphine Alkaloids and Related Compounds. S. Yamaguchi, I. Seki, S. Okuda, and K. Tsuda, Chem. Pharm. Bull., 1962, 10, 755.
12. A New Skeletal Rearrangement of 14-Bromocodeine. S. Okuda, K. Tsuda, and S. Yamaguchi, J. Org. Chem., 1962, 27, 4121.
13. Magnetic Anisotropy Effects of Cyclic Tertiary Amine Nitrogen and Carbon-carbon Double Bond. S. Yamaguchi, S. Okuda, and N. Nakagawa, Chem. Pharm. Bull., 1963, 11, 1465.