


Chloroform-d

7.34  
7.32  
7.27  
7.21  
7.19



3.99

3.60

3.46


3.25


3.21

3.18

2.83


2.77





Chloroform-d


7.38  
7.29  
7.27  
7.10  
7.08



4.35  
4.32  
4.23  
4.18  
4.12  
4.07  
4.00  
3.97  
3.89  
3.86  
3.54  
3.18  
3.14

2.55  
2.49





Chloroform-d

Chloroform-d

-7.32  
-7.27

4.47  
4.42  
4.21  
4.17  
3.95  
3.94  
3.87  
3.84  
3.70  
3.67  
3.45  
3.37




1.25  
1.23


7.5  
7.0  
6.5  
6.0  
5.5  
5.0  
4.5  
4.0  
3.5  
3.0  
2.5  
2.0  
1.5  
1.0  
0.5  
0.0


5.03


1.00 0.99 2.07 1.02 1.00

3.11









-150.39

136.64  
136.43

129.40  
129.15  
128.64  
128.02  
127.82

Chloroform-d

-77.00

-62.55

-57.73

-50.34

-46.20

Chloroform-d

-7.27



4.54  
4.52  
4.35  
4.32  
4.17  
4.12  
3.96  
3.91  
3.81  
3.78


3.46  
3.43

-2.90

-2.01  
-1.92

1.21  
1.20  
1.06  
1.04





149.38

137.02

128.65  
128.45  
127.71

Chloroform-d

77.00

62.71

53.30


44.17  
43.63

27.83

20.16  
19.55


Chloroform-d

7.36  
7.29  
7.27




4.46  
4.41  
4.29  
4.24  
4.10  
4.04  
4.00  
3.84  
3.80  
3.62  
3.58  
3.41  
3.38  
3.35

1.83  
1.76  
1.64  
1.60  
1.57  
1.29  
1.25  
1.21  
0.97  
0.95  
0.94




Chloroform-d


7.36  
7.29  
7.27



4.46  
4.41  
4.29  
4.24  
4.10  
4.04  
4.00  
3.84  
3.80  
3.62  
3.58  
3.41  
3.38  
3.35


1.83  
1.76  
1.64  
1.60  
1.57  
1.29  
1.25  
1.21  
0.97  
0.95  
0.94





Chloroform-d

7.37  
7.30  
7.27



4.40

3.93

3.81


3.02



4.93

2.00

2.04

2.03






Chloroform-d

Chloroform-d

7.29  
7.27





4.44  
4.40  
4.25  
4.21  
4.02  
3.84  
3.77  
3.60  
3.54  
3.37

1.85  
1.79  
1.72  
1.66  
1.59  
1.52  
1.30  
1.23  
1.16  
0.96  
0.91

5.00  
7.5  
7.0  
6.5  
6.0  
5.5  
5.0  
4.5  
4.0  
3.5  
3.0  
2.5  
2.0  
1.5  
1.0  
0.5  
0.0



1.05 1.04 1.98 1.00 0.99 1.01


1.00 1.08 1.07 6.04



Chloroform-d

-7.27





115.11

77.00

60.20

53.99


53.43

40.78

28.51

22.84


Chloroform-d



160  
150  
140  
130  
120  
110  
100  
90  
80  
70  
60  
50  
40  
30  
20  
10  
0



—151.15



Chloroform-d

—77.00

—59.53

—53.45

—50.79

—47.29

—27.46

—22.83