

Supporting Information

MELANOGENESIS-MODULATING DIKETOPIPERAZINE DERIVATIVES
FROM *HYPOCREA* SPP.

**Tetsuro Kawabata,^{a,*} Chiaki Uchida,^a Hikaru Kato,^a Tomoyuki Tsubata,^a
Fumihide Takano,^{a,b} and Tomihisa Ohta^a**

^aDepartment of Pharmacognosy and Chemistry of Natural Products, School of Pharmacy and Pharmaceutical Sciences, Kanazawa University, Kakuma-machi Kanazawa 920-1192, Japan; E-mail: tetu-600@p.kanazawa-u.ac.jp

^bDepartment of Kampo Medicines, Nihon Pharmaceutical University, 10281 Komuro Inamachi, Kita-Adachi-Gun, Saitama 362-0806, Japan

Table of contents:	Page
¹ H NMR spectrum of hypocreasin (1) in DMSO- <i>d</i> ₆	3
¹³ C NMR spectrum of hypocreasin (1) in DMSO- <i>d</i> ₆	3
¹³ C NMR spectrum of hypocreasin (1) in DMSO- <i>d</i> ₆	4
NOE spectrum of hypocreasin (1) in DMSO- <i>d</i> ₆	4
HMQC spectrum of hypocreasin (1) in DMSO- <i>d</i> ₆	5
HMBC spectrum of hypocreasin (1) in DMSO- <i>d</i> ₆ (1)	5
HMBC spectrum of hypocreasin (1) in DMSO- <i>d</i> ₆ (2)	6
HMBC spectrum of hypocreasin (1) in DMSO- <i>d</i> ₆ (3)	6




Figure S1. ¹H NMR spectrum of hypocreasin (**1**) in DMSO-*d*₆.




Figure S2. ¹³C NMR spectrum of hypocreasin (**1**) in DMSO-*d*₆.




Figure S3. DEPT 135 spectrum of hypocreasin (**1**) in DMSO-*d*₆.




Figure S4. NOE spectrum of hypocreasin (**1**) in DMSO-*d*₆.




Figure S5. HMBC spectrum of hypocreasin (**1**) in DMSO- d_6 .




Figure S6. HMBC spectrum of hypocreasin (**1**) in DMSO- d_6 (1).




Figure S7. HMBC spectrum of hypocreasin (**1**) in DMSO- d_6 (**2**).




Figure S8. HMBC spectrum of hypocreasin (**1**) in DMSO- d_6 (**3**).