

*Supporting information*

**ISOQUINOLINE ALKALOIDS FROM THE TWIGS OF *CASSIA FISTULA* AND  
THEIR ANTI-TOBACCO MOSAIC VIRUS ACTIVITY**

**Hai-Yan Wu,<sup>1</sup> Qiang Liu,<sup>2</sup> Zhen-Hua Yu,<sup>2</sup> Wei-Yao Hu,<sup>2</sup> Ke-Liang Yan,<sup>2</sup> Ye-De Wang,<sup>1</sup>  
Kun Zhou,<sup>1</sup> Wei Dong,<sup>1</sup> Min Zhou,<sup>1,\*</sup> Qiu-Fen Hu,<sup>1,\*</sup>**

<sup>1</sup> Key Laboratory of Chemistry in Ethnic Medicinal Resources, State Ethnic Affairs Commission & Ministry of Education, Yunnan Minzu University, Kunming 650031, P. R. China; <sup>2</sup> Research and Development of Center, China Tobacco Yunnan Industrial Co., Ltd., Kunming 650231, P.R. E-mail: zhouminynun@163.com; huqiufena@aliyun.com

## Contents of Supporting Information

---

No.	Contents:	Pages:
Figure S1-S4	$^{13}\text{C}$ , $^1\text{H}$ , HSQC and HMBC NMR spectra of fistulalkaloid A (1)	3-6
Figure S5-S6	$^{13}\text{C}$ and $^1\text{H}$ NMR spectra of fistulalkaloid B (2)	7-8

---

Figure S1  $^{13}\text{C}$  NMR spectrum of fistulalkaloid A (**1**)




Figure S2 <sup>1</sup>H NMR spectrum of fistulalkaloid A (1)




Figure S3 HSQC spectrum of fistulalkaloid A (1)




Figure S4 HMBC spectrum of fistulalkaloid A (1)




Figure S5  $^{13}\text{C}$  NMR spectrum of fistulalkaloid B (2)




Figure S6 <sup>1</sup>H NMR spectrum of fistulalkaloid B (2)

