

Supporting Information

For

Design and Synthesis of Pentacycloundecane Cage Compound Containing Oxazole Moiety

Sambasivarao Kotha and Subba Rao Cheekatla*


Department of Chemistry, Indian Institute of Technology-Bombay, Powai, India

Fax: 022-25727152; Phone: +91(22)-2572 7160, E-mail: srk@chem.iitb.ac.in


Table of Contents

<i>Entry</i>	<i>Contents</i>	<i>Page No.</i>
1.	Copies of NMR (¹ H, ¹³ C, DEPT 135, and APT) spectra	S2-S7


¹H NMR (500 MHz, CDCl₃) of compound **14**




¹³C NMR (125.7 MHz, CDCl₃) of compound **14**




DEPT 135 NMR (125.7 MHz, CDCl₃) of compound **14**




¹H NMR (500 MHz, CDCl₃) of compound **15**




¹³C NMR (125.7 MHz, CDCl₃) of compound **15**




DEPT 135 NMR (125.7 MHz, CDCl₃) of compound **15**




APT 135 NMR (125.7 MHz, CDCl₃) of compound **15**




¹H NMR (500 MHz, CDCl₃) of compound **11**



¹³C NMR (125.7 MHz, CDCl₃) of compound **11**



DEPT 135 NMR (125.7 MHz, CDCl₃) of compound **11**



APT NMR (100.6 MHz, CDCl₃) of compound **11**

